

庵治実験ハウス発電及び消費電力記録

月	2010/1月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量KW	12	11	8.3	13	9.8	14	13	14	14	11	5	2.1	4.7	15	10	14	13	13	14	10	0.7	8.4	14	15	1.9	15	15	5.2	14	13	0.7	324.1	
消費電量KV	54	42	35	39	34	46	40	39	37	38	40	37	43	45	42	40	36	36	41	34	25	32	29	28	29	31	33	29	27	16	27	1104.1	
売電量KW	6	6.9	5.2	8.1	6.3	6.2	9.7	10	10	7.6	1.6	0.3	2.1	11	4.7	9.7	9.9	9.9	5.2	0.1	4.5	8.7	11	0.5	9.8	9.1	1.8	8.6	9.8	0	203.9		
買電量KW	49	38	32	34	36	38	37	35	32	34	37	35	40	41	37	36	32	32	37	30	24	28	24	24	27	26	27	26	22	13	26	986.1	
発電使用量	5.6	4.2	3.1	4.7	3.5	7.3	3.2	4.4	4	3.4	3.4	1.8	2.6	4.3	5.5	3.8	3.7	3.4	4.1	5	0.6	3.9	5.1	4.5	1.4	5.3	5.8	3.4	5.1	3.4	0.7	120.2	
天候	晴	晴	曇晴	晴	晴	晴	晴曇	晴	晴	晴曇	曇晴	曇	曇	晴曇	晴	晴	晴	晴曇	晴曇	曇	曇	曇	晴	晴	曇雨	晴	晴	曇雨	晴	晴	雨		
平均温度	3.1	6.2	6.8	5.1	6.3	3.5	5	5.6	6	7.5	6.5	6.7	1.3	1.9	3.7	4.9	5	5.7	6.1	7.3	10	6.8	5	5.1	6.3	6.2	5.1	10	8.6	8.4	7.3	5.9097	

月	2010/2月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量	0.5	13	17	17	15	16	18	7.1	11	3.3	1.3	6.6	18	9	2.6	9.7	12	16	17	19	19	17	15	13	14	3.5	無	無	無	無	無	308.9	
消費電量	41	37	43	41	41	44	39	39	35	31	35	38	36	40	37	40	41	39	29	29	31	29	29	18	18	17	無	無	無	無	無	891.9	
売電量	0	7.8	13	12	10	11	14	3.2	7.9	1	0.1	3.3	15	4.7	0	4.7	8	12	12	15	14	12	9.8	9.3	9.9	0.7	無	無	無	無	無	208.4	
買電量	40	33	38	36	36	39	35	35	32	29	33	35	32	36	34	36	36	34	24	25	26	23	24	15	13	14	無	無	無	無	無	790.9	
発電使用量	0.5	5	4.8	5.1	4.6	4.9	4	3.9	3	2.3	1.2	3.3	3.3	4.3	2.6	5	4	4.2	4.9	4.1	5	5.3	5	3.4	4	2.8	無	無	無	無	無	100.5	
天候	雨	晴曇	晴曇	晴曇	晴雨	晴	晴	曇晴	曇雨	曇雨	曇雨	曇	曇	晴曇	曇晴	曇雨	曇	曇晴	晴曇	晴曇	晴	快晴	晴曇	晴曇	晴曇	晴曇	雨	無	無	無	無	無	
平均温度	4.9	7.3	4.9	3.7	4.8	4.4	4.2	6.4	11	12	6.8	5.9	5.4	6.5	6.4	6.3	3.2	5	4.2	5.9	5.5	8.5	11	11	14	15	無	無	無	無	無	7.0692	

月	2010/3月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量	7.8	8.4	16	2.6	12	1.9	1.3	9.2	1	8.5	21	14	4.8	20	2.8	11	22	13	23	20	17	21	1	1	0.1	21	23	15	18	23	6.4	366	
消費電量	17	17	20	17	19	18	20	22	29	21	21	22	18	19	21	19	19	24	18	16	17	18	23	23	22	21	22	17	20	23	13	615.2	
売電量	5	4.6	11	0.4	7.7	0.2	0	3	0	4.1	14	8.5	1.9	15	0.3	7	17	8.1	18	15	13	16	0	0	0	14	17	10	13	18	3.4	244.3	
買電量	14	13	15	15	14	16	20	16	29	17	14	16	15	14	18	15	13	19	13	11	13	13	22	22	24	19	16	13	15	18	10	500.8	
発電使用量	2.8	3.8	5.3	2.2	4.3	1.7	1.3	6.2	1	4.4	7.2	5.7	2.9	5.2	2.5	4	5.6	4.9	4.7	5	3.9	5.6	1	1	0.1	7.1	5.5	4.6	4.5	4.7	3	121.7	
天候	曇	曇	曇晴	曇雨	曇晴	曇雨	曇雨	曇	雨	雨曇	晴	薄曇	曇雨	晴	曇雨	晴	晴	晴曇	快晴	曇晴	晴	曇雨	雨	雨曇	曇晴	晴	曇	曇	晴	曇	曇雨		
平均温度	9.5	11	11	11	15	11	7.7	7.4	3.3	4.6	6.5	7.9	11	10	13	13	9.3	8.2	9.8	15	13	8.7	8.8	7.8	6.7	6.7	7.4	10	6.9	6.4	11	9.2613	

■ 床下暖房全開 ■ 床下暖房半開 ■ エアコン稼働

庵治実験ハウス発電及び消費電力記録

月	2010/4月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量KW	4.3	8.3	20	22	14	20	3.7	22	3.9	23	12	2.8	13	24	6.8	3.5	25	20	11	7	18	2.3	4.3	22	25	21	4.2	26	26	5.6	無	419.3	
消費電量KV	18	18	19	20	18	19	19	21	20	19	17	19	15	18	22	22	16	17	17	17	18	17	19	19	19	18	17	17	14	7.8	無	537.8	
売電量KW	1.5	3.9	15	17	8.8	15	0.6	16	1.1	18	8.3	0.4	9.7	18	1.8	0.7	20	14	6.2	3.2	12	0.1	0.9	16	20	16	0.9	19	23	3.9	無	290.8	
買電量KW	15	14	14	15	14	13	16	15	16	14	13	16	12	12	16	19	12	12	12	13	12	15	16	14	14	13	14	10	11	6.3	無	407.8	
発電使用量	2.8	4.4	4.8	5.5	4.7	5.3	3.1	6.1	2.8	5.5	3.5	2.4	3.5	5.9	5	2.8	4.6	5.3	4.9	3.8	5.6	2.2	3.4	5.4	5.1	5	3.3	6.8	3.3	1.7	無	128.5	
天候	曇	曇	曇	曇	晴	曇	曇	晴	曇雨	晴曇	曇雨	雨	晴曇	晴曇	曇雨	曇雨	晴	晴曇	曇	曇雨	晴曇	雨	曇	晴曇	晴	晴曇	曇雨	晴曇	晴	晴曇	無		
平均温度	14	13	10	11	14	18	11	9.8	13	17	17	15	16	11	7.5	7.6	12	13	14	15	17	11	12	12	12	15	16	15	18	20	無	13.45	

月	2010/5月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量	24	23	23	21	20	18	6	24	19	2.9	7.8	19	23	21	24	22	25	22	7.9	9.3	24	17	1.4	12	16	11	17	23	25	26	22	553.9	
消費電量	12	15	17	16	16	16	16	16	17	17	17	15	16	16	18	18	19	18	19	17	21	15	21	17	15	20	18	17	17	19	18	525.3	
売電量	20	19	17	15	13	13	2.5	18	13	0.3	3.6	14	17	15	15	17	17	16	1.7	4.5	16	11	0	6.7	9.3	4.8	10	16	18	19	15	376	
買電量	7.4	10	11	11	9.2	11	12	10	10	15	12	9.8	9	10	10	12	12	11	13	12	13	9.6	19	11	8.9	14	11	9.9	10	9.2	11	343.7	
発電使用量	4.4	4.8	5.5	5.6	6.7	5.3	3.5	5.4	6.5	2.6	4.2	5.3	6.2	6.2	8.2	5.9	7.2	6.4	6.2	4.8	8	5.4	1.4	5.3	6.3	6.1	6.3	7.4	6.6	7.1	7.1	143.4	
天候	晴	晴	晴曇	晴	晴曇	曇	曇	晴	曇	雨	曇雨	晴	晴	晴	晴曇	晴	晴	曇雨	雨	曇晴	曇	雨曇	雨	曇	晴曇	曇	晴曇	曇	晴	晴	曇		
平均温度	16	17	19	21	21	21	19	20	20	17	17	16	15	15	16	19	20	21	21	22	23	22	18	21	21	18	17	16	18	18	19	18.806	

月	2010/6月																																
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	合計	
発電量	24	25	24	23	24	19	7.1	12	22	25	23	24	6	18	1.8	19	21	4.1	17	5.4	12	18	13	21	4.6	4.2	15	21	16	13	479.7		
消費電量	19	18	15	17	16	17	17	18	16	19	17	17	22	17	17	18	19	16	19	17	18	17	17	18	17	18	17	20	18	17	528.7		
売電量	17	18	17	15	17	13	3	7.4	15	17	16	17	12	12	0	12	13	6.2	9.5	0.5	5.7	11	7.2	13	0	1.1	8.9	13	8.4	6.7	313.5		
買電量	12	10	9.1	9.4	9.2	10	12	13	9.6	11	9.3	9.7	18	11	15	11	12	13	12	12	12	11	12	11	13	15	11	11	11	11	346.4		
発電使用量	7.6	6.9	6.4	7.8	6.8	6.5	4.1	4.8	6.4	7.6	7.5	7	-6	6	1.8	6.8	7.5	-2	7.2	4.9	6.1	6.3	5.8	7.5	4.6	3.1	6.4	7.9	7.1	5.9	166.2		
天候	晴曇	晴	晴	曇	晴	曇	雨曇	曇雨	晴	晴	晴曇	曇雨	雨曇	曇	雨	晴曇	曇雨	曇雨	曇	曇雨	曇	曇	曇	曇	曇	曇	雨	雨	曇	晴曇	曇	曇晴	
平均温度	20	21	22	23	24	23	22	21	22	24	25	24	21	22	22	25	25	24	26	24	25	27	25	25	23	25	27	28	27	27	716.6		

■ 床下暖房全開 ■ 床下暖房半開 ■ エアコン稼働

庵治実験ハウス発電及び消費電力記録

月	2010/7月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	9.6	9.6	2.9	20	8.4	15	17	20	5.7	17	7	7.3	7.1	5.7	8.5	13	23	18	23	23	23	22	22	22	22	21	21	11	15	18	19	476.3
消費電量	14	19	16	17	21	21	22	18	18	17	17	20	19	19	18	19	22	20	23	25	25	24	27	24	23	27	25	19	19	20	18	636.8
売電量	3.4	3.4	0.2	14	3.7	8.1	8.6	12	1.2	11	1.3	2.9	2.1	0.5	2.9	7.6	16	12	17	13	13	16	13	15	15	12	10	5.7	9	11	14	274.1
買電量	13	13	14	10	16	14	14	10	14	11	12	16	14	14	13	13	15	14	16	16	14	17	17	16	17	18	14	14	13	13	435.4	
発電使用量	6.2	6.2	2.7	6	4.7	7.1	8	7.7	4.5	6.2	5.7	4.4	5	5.2	5.6	5.7	7.1	6.2	6.6	9.1	10	6.9	9.6	7.8	6.5	8.6	11	4.9	5.7	6.4	5	202.2
日照時間	5.7	0.2	0	4.4	3.9	2.7	6	7.9	0.7	4.2	0.1	2.8	0.1	0	1	5.3	11	7.2	12	9.3	13	13	13	13	12	12	8.4	0.5	4.7	6.9	7.8	188.52
平均気温	27	27	26	29	27	28	27	27	25	26	28	27	25	24	25	26	28	28	29	29	29	30	31	31	30	30	29	28	27	30	31	27.765

月	2010/8月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	21	22	21	22	22	23	24	22	25	13	17	7.6	16	11	21	21	21	21	20	20	17	18	19	18	21	22	22	20	17	21	606.9	
消費電量	28	26	24	26	28	25	19	20	19	20	20	22	23	21	24	27	26	28	27	25	29	27	26	27	26	26	24	32	25	25	26	770.2
売電量	12	11	12	14	11	13	18	17	19	7.9	10	2.4	8.4	4.2	16	12	12	11	9.5	12	8.2	7.8	7.7	7.9	9.3	11	12	11	13	10	12	340.8
買電量	19	16	15	18	17	15	13	15	13	14	14	17	15	14	18	17	16	17	15	17	17	18	16	16	17	16	14	21	19	19	17	504.6
発電使用量	8.7	11	9.2	8	11	9.7	6.1	5.6	5.3	5.3	6.6	5.2	7.6	6.9	5.6	9.1	9.4	10	11	8.2	12	9.6	11	11	8.7	10	10	11	6.8	6.6	9.4	266.1
日照時間	9.3	12	12	10	6.2	12	11	8.2	10	3.1	2.2	2.4	5	1.4	11	12	12	12	12	11	11	9.4	8	7.2	8.4	8.3	9.8	12	8.4	8	8	227
平均気温	31	31	31	31	31	30	29	29	29	29	30	30	30	30	31	32	32	31	31	31	31	31	31	31	30	29	31	31	31	29	30	30.381

月	2010/9月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	21	21	20	20	17	20	14	1.5	21	19	18	18	16	21	6.2	16	20	20	20	9.6	16	18	2.2	12	7.5	19	4.4	17	15	2	451.2	
消費電量	30	21	26	26	27	30	31	29	26	21	25	21	28	16	21	17	18	18	20	27	26	21	20	15	17	16	16	16	15	16	654.1	
売電量	11	12	11	11	9.5	7.7	5.5	3.1	15	13	11	11	9.7	14	1.8	10	14	14	15	4.9	9.9	11	0	6.5	3.6	12	1	12	10	0	270.1	
買電量	19	18	17	17	22	19	21	16	14	18	13	11	11	15	13	14	11	12	16	15	21	18	15	12	11	11	13	11	14	0	437.1	
発電使用量	11	8.7	8.8	9.5	7.6	12	8.4	-2	5.7	6.2	7.7	7	5.9	7	4.4	5.3	6	5.8	4.7	4.7	5.9	7.5	2.2	5.2	3.9	6.9	3.4	4.9	4.5	2	181.1	
日照時間	11	10	12	12	8.9	7.2	2.9	2.9	11	9.8	10	8.6	4.3	6.9	0.2	7.6	11	12	11	1.3	9.2	8.3	0.2	2.7	3.5	7.5	7.5	0.1	7.6	4.5	210.7	
平均気温	31	30	31	31	30	31	30	30	29	29	30	31	28	27	25	25	26	25	27	27	30	30	22	21	21	21	21	24	21	19	26.713	

■ 床下暖房全開 ■ 床下暖房半開 ■ エアコン稼働

庵治実験ハウス発電及び消費電力記録

月	2010/10月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	17	17	2.3	9.4	10	19	17	6.1	1	18	18	15	15	13	13	18	16	15	13	5.2	4.3	8.8	9.7	6.5	1.9	11	12	1.3	10	2.8	1.6	329
消費電量	15	15	16	16	14	14	14	15	17	15	16	17	14	16	17	16	15	18	15	14	16	15	17	19	15	17	19	7.5	15	17	481.3	
売電量	13	13	0.5	5.9	5.9	15	13	2.7	0	14	14	10	10	7.8	7.6	13	11	9.9	9	2	0.9	4.7	5.5	3.5	0.1	7.3	9	0	5.8	0.5	0.2	213.9
買電量	10	11	14	13	9.2	9.9	9.7	11	15	10	12	12	9.6	11	11	11	11	13	11	11	12	11	11	14	17	12	14	17	13	13	16	374.7
発電使用量	4.3	4.1	1.8	3.5	4.4	4	4.3	3.4	1	4.5	4.2	5.2	4.3	5.6	5.8	4.9	4.9	5	4.3	3.2	3.4	4.1	4.2	3	1.8	3.3	3.3	1.3	4.3	2.3	0	113.7
日照時間	8.4	6.3	0.2	5.9	3.9	11	6.8	0.4	0	7.5	7.8	8.1	6	3.7	4.9	7.1	8.7	7.5	4.9	0	0.1	1.3	2.3	0.3	0	3.9	4.3	0	2.1	0	16	139.5
平均気温	22	23	23	23	20	20	21	21	20	22	22	23	22	22	22	19	18	19	20	21	20	19	20	21	20	16	13	13	16	16	19.927	

月	2010/11月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	8.3	12	17	16	16	15	4.9	13	10	7.7	12	10	5	5.3	8.7	7.4	6.4	14	12	12	12	1.4	9.9	11	10	13	14	8.2	13	9.7	314.5	
消費電量	18	18	18	15	17	17	19	18	18	20	16	23	26	22	24	26	27	30	35	26	25	23	21	28	27	24	24	22	28	31	681	
売電量	5.1	7.2	13	13	12	11	1.5	8.8	6.6	8.5	5.1	8.5	7.1	2	2.3	5	4.5	3.6	11	7.9	7.6	0.2	6.5	7.1	6.5	8.8	11	4.6	10	6.3	212.1	
買電量	15	13	13	12	13	14	16	14	14	17	12	19	23	20	21	23	24	27	32	22	22	22	17	25	23	19	20	19	25	27	578.7	
発電使用量	3.2	4.8	3.8	3	3.9	3.5	3.4	3.9	3.4	-1	7.3	1.8	-2	3.3	6.4	2.4	1.9	10	1.3	3.7	4.6	1.2	3.4	3.5	3.5	4.5	3.5	3.6	3	3.4	102.4	
日照時間	3.8	4.4	8.9	10	10	7.1	1.4	5.5	7.1	3.5	6	7	0.1	0.5	2.4	4.4	3.1	6.8	5.5	8.2	7.5	0	2.9	7.2	2.7	6.9	9.2	2.8	6.1	4.1	133	
平均気温	16	15	13	13	14	14	15	17	14	13	11	15	14	16	13	10	12	11	11	13	14	14	12	9.4	11	12	10	11	9.1	9.3	12.697	

月	2010/12月																															合計
日付	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
発電量	12	11	10	15	12	11	2	14	9.6	13	1.8	13	1.2	8.3	9.9	3.4	12	13	12	9.7	1.4	11	12	14	9.6	3.9	7.4	10	11	1.2	11	285.4
消費電量	30	30	25	31	30	27	28	35	32	35	35	39	30	29	33	42	39	32	38	33	29	30	31	32	47	45	40	40	37	46	54	1084.6
売電量	8.7	7.8	7.2	9.6	7	8.1	0.1	11	6.9	9.7	0.1	8.9	0	5.7	7.6	1.1	7.7	9	8.5	6.6	0	7.9	8.9	11	6.1	1.1	4.9	6.9	7.3	0	3.2	188.8
買電量	27	27	22	26	23	24	26	32	29	31	34	35	29	26	31	40	35	29	35	30	27	27	27	29	44	42	38	37	34	45	46	985.3
発電使用量	2.9	3.5	3	4.9	5.1	3	1.9	3.1	2.7	3.4	1.7	4.5	1.2	2.6	2.3	2.3	4.1	3.5	3.8	3.1	1.4	2.9	3.1	2.3	3.5	2.8	2.5	3.3	3.5	1.2	7.5	96.6
日照時間	8.3	6.3	6.2	9.3	9.3	8.2	0	9.2	5.8	9	0.5	8.8	0	1.9	3.7	0	6.7	5.4	8	6.4	0	5	8.1	7.4	2.5	1	1.1	5.2	2.8	0	3.8	149.9
平均気温	11	13	14	11	9.7	11	11	7.9	7.9	7.5	9.3	8.5	11	13	6.1	4.3	5	8.2	6.7	10	8.6	12	11	7.6	3.1	4	5.3	8.2	5.7	3.7	3	8.3484

■ 床下暖房全開 ■ 床下暖房半開 ■ エアコン稼働